

Safety Data Sheet For Vinyl Coated Fabrics used in Contract Upholstery

1. PRODUCT AND COMPANY IDENTIFICATION

Product name and synonyms : Vinyl Coated Fabric

Chemical name and synonyms : None

Product CAS No. : Composite

Manufacturer's Name : PROQUINAL

Emergency Telephone No. : (057) 2 41 78 00

Address : Calle 11A N° 34-50

Bogotá – Colombia

2. HAZARDS IDENTIFICATION

These composites have not been evaluated as a whole for health effects.

Threshold limit value : None established. Effects of overexposure : None known.

3. COMPOSITION INFORMATION ON REGULATED INGREDIENTS

Chemical Name	No. CAS	Weight %
Poly (1-Chloroethylene)	9002-86-2	≤ 50%
DPHP	53306-54-0	10 – 30%
Other plasticizers		1 – 5%
Inert fillers		0 – 5%
Flame Retardants		5 – 20%
Heat stabilizer		≤ 1%
UV Stabilizer		≤ 0.1%
Biocide		≤ 0.2%
Polyester Fiber		≤ 27%
Pigments		≤ 5%



Note: Vinyl Coated Fabrics used in Contract Upholstery are solid materials in which the additives are tightly bound to the vinyl polymer coating, which, in turn, is laminated to a substrate polyester textile.

4. FIRST AID MEASURES

Emergency and first aid procedures

Remove affected person from the area. If necessary, seek medical attention.

Inhalation

No adverse effect anticipated.

Skin contact

No adverse effect anticipated.

Eye contact

The only anticipated effect would be physical abrasion. Treat as with any other solid material that comes in contact with the eye.

Ingestion

No effect expected. In this highly unlikely event, product should be removed from the mouth, regurgitated, or allowed to pass through the digestive system, depending on circumstances.

5. FIRE FIGHTING MEASURES

Extinguishing media

Water, Carbon Dioxide Extinguisher, Dry Compound, Sand.

Special fire fighting procedures

Use standard firefighting apparel that leaves no exposed skin. Use of self-contained breathing apparatus is recommended, particularly in closed, poorly ventilated spaces. As in most fires, carbon monoxide and other highly toxic gases will develop. Polyester fabric can melt and drip as a hot wax which can burn skin. Vinyl compounds do not melt or drip, so water run-off should pose a minimum threat to bodies of water or aquatic life.

Unusual fire and explosion hazards

None known.



6. ACCIDENTAL RELEASE MEASURES

Steps to be taken in case materialis released or spilled

N/A

Waste Disposal Method

Not a hazardous waste as defined by the Resource Conservation and Recovery Act. Suitable for landfill, may be incinerated at facilities licensed to do so. Follow current local, state, and federal disposal regulations. Can be recycled.

7. HANDLING AND STORAGE

Precautions to be taken in handling and storage

Store at ambient temperature.

Other Precautions

None

8. EXPOSURE CONTROL/PERSONAL PROTECTION

Respiratory protection:None required.Protective Gloves:None required.Eye Protection:None required.Other Protective Equipment:None required.

9. PHYSICAL AND CHEMICAL DATA

Appearance : Soft, flexible coated textile.

Color:Many variationsOdor:Mild, if any

Boiling Point (°c) : N/A Vapor Pressure (mm hg) : N/A

Percent Volatiles, by Volume : Essentially non-volatile

Solubility in Water : Not soluble

Vapor Density : N/A Evaporation Rate : N/A

^{*} N/A: non-applicable



10. STABILITY AND REACTIVITY

Reactivity
Not reactive
Chemical stability
Stable
Possibility of hazardous reactions
Will not occur.
Conditions to avoid
None known
Incompatible materials
None known
Hazardous decomposition products
Carbon Monoxide and other toxic gases.

11.TOXICOLOGICAL INFORMATION

These composite have not been evaluated as a whole for health effects.

16.OTHER INFORMATION

Date prepared: 14/04/2016 Revision 1

The information contained herein, to the best of our knowledge, is accurate as of the date issued.

Note: Sections 12, 13, 14, and 15 are optional and have not been included.